



PROTECTA

Fall Protection

3M™ Protecta® Rebel™ Self- Retracting Lifelines.

3-6 Metre Lengths.



Product Overview.

3M™ Protecta® Rebel™ shorter length web and cable self-retracting lifelines (SRL's) - the addition of these lighter and smaller SRL's further extends the comprehensive Rebel range.

Material

Web: Polyester, 25 mm wide

Cable: Galvanized, 5 mm diameter

Recall spring material: Stainless Steel

Connection level: Can be connected from shoulder level

Certification: CE EN360

Capacity: 140 kg

	Rebel™ 3.3 m Web	Rebel™ 6 m Web	Rebel™ 4.5 m Cable
Height (*)	48 cm	57 cm	74 cm
Width	15 cm	25 cm	15 cm
Depth	8 cm	12 cm	8 cm
Weight	1.4 kg	2.2 kg	2.8 kg

(*) Anchor point to anchor point

Top connector

- Twist-lock zinc plated carabiner
16 kN gate strength, 18 mm opening

Top swivel

- Limits lifeline twisting
- Improves user experience

Super-tough nylon housing

- Lightweight, compact and durable
- UV resistant

Heat-shrunk clear PVC coating on shock pack

- Easy to read label
- Easy to inspect
- Improved durability
- Visual impact indicator

Small opening snap hook

- Zinc plated steel

Available models

3.3 m and 6 m Web:

- High strength polyester thin webbing provides added durability and longevity

4.5 m Cable:

- With 5 mm galvanised cable



3M™ Protecta® Rebel™
3.3 m Web SRL



Best Seller
3100423

CE
EN360

	←→					
3100423	3.3 m					1.40

- 25 mm polyester webbing lifeline
- Zinc plated snap hook:
 - 19 mm opening
 - 16 kN gate strength

3M™ Protecta® Rebel™
4.5 m Cable SRL



Best Seller
3590024

CE
EN360

	←→					
3590024	4.5 m					2.80

- 5 mm galvanised cable lifeline
- Zinc plated snap hook:
 - 19 mm opening
 - 16 kN gate strength

3M™ Protecta® Rebel™
6 m Web SRL



Best Seller
3100437

CE
EN360

	←→					
3100437	6 m					2.20

- 25 mm polyester webbing lifeline
- Zinc plated snap hook:
 - 19 mm opening
 - 16 kN gate strength

SRL icons.



Housing



Lifeline
Material



Carabiner



Snap
Hook



Material:
Aluminium



Material:
Steel



Material:
Thermoplastic



Coating:
Galvanised Steel



Dimension



Kilogrammes



Certification

3M Belgium BVBA / SPRL

Hermeslaan 7
1831 Diegem
België / Belgique
E-mail: 3Msafety.be@mmm.com
www.3Msafety.be

3M Danmark

Hannemanns Allé 53
2300 København S
Danmark
E-mail: 3Msikkerhed@mmm.com
www.3Msikkerhed.dk

3M Deutschland GmbH

Carl-Schurz-Straße 1
D - 41453 Neuss
Deutschland
E-mail: arbeitsschutz.de@mmm.com
www.3Marbeitsschutz.de

3M Espana, S.A.

Juan Ignacio Luca de Tena, 19-25
28027 Madrid
Espana
E-mail: ohes.es@3M.com
www.3M.com/es/seguridad

3M France

Boulevard de l'Oise
95006 Cergy Pontoise Cedex
France
www.3M.com/fr/secure

3M Greece

20 Kifissias Ave.
151 25 Maroussi
Athens, Greece
www.3M.com/gr/occsafety

3M Ireland Limited

The Iveagh Building
The Park, Carrickmines
Dublin 18
Ireland
E-mail: ohes.helpline.uk@mmm.com
www.3M.co.uk/safety

3M Italia srl

Via Norberto Bobbio, 21
20096 Pioltello MI
Italia
E-mail: 3Msicurezza@mmm.com
www.3Msicurezza.it

3M Nederland B.V.

Molengraaffsingel 29
2629 JD Delft
Nederland
E-mail: 3Msafety.nl@mmm.com
www.3Msafety.nl

3M Norge A/S

Taerudgata 16
2004 Lilestrøm
Norge
E-mail: kundeservice@mmm.com
www.3M.no/vern

3M Österreich GmbH

Kranichberggasse 4
1120 Wien
Österreich
www.3M.com/at/arbeitsschutz

3M Portugal

Rua do Conde Redondo, 98
1169-009 Lisboa
Portugal
www.3M.com/pt/seguranca

3M Suisse S.a r.l. / Schweiz GmbH

Eggstrasse 93
8803 Rüschiikon
Suisse / Schweiz
www.3M.com/ch/safety

Suomen 3M Oy

Keilaranta 6
02150 Espoo
Suomi
E-mail: tilaukset@mmm.com
www.3M.fi/suojaimet

3M Svenska AB

Bollstanäsvägen 3
191 89 Sollentuna
Sverige
E-mail: kundeservice@mmm.com
www.3M.se/personskydd

3M United Kingdom PLC

3M Centre
Cain Road
Bracknell
RG12 8HT
United Kingdom
E-mail: ohes.helpline.uk@mmm.com
www.3M.co.uk/safety

**Fall Protection****Registered Offices:**

Capital Safety (Northern Europe) Limited
3M Centre, Cain Road
Bracknell, Berkshire, RG12 8HT, UK

Capital Safety Group (EMEA)

Le Broc Center, Bâtiment A, Z.1. 1re Avenue
– BP15, 06511 Carros Le Broc, Cedex, FRANCE

Phone: +33 (0)4 83 58 08 08
Email: informationfallprotection@mmm.com
Web: 3M.com/FallProtection